

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	94	((inter near2 relat \$4) inter-relat\$4) near4 object\$1	USPAT; IBM_TDB	OR	ON	2008/05/27 12:50
L2	38	1 and quer\$9	USPAT; IBM_TDB	OR	ON	2008/05/27 12:51
L3	7	2 and (password \$1 passphrase\$1 passcode\$1 pin)	USPAT; IBM_TDB	OR	ON	2008/05/27 12:51
L4	12	1 and (password \$1 passphrase\$1 passcode\$1 pin)	USPAT; IBM_TDB	OR	ON	2008/05/27 13:03
L5	73	(interfac\$3 near4 object\$1) near6 (password\$1 passphrase\$1 passcode\$1 pin)	USPAT; IBM_TDB	OR	ON	2008/05/27 13:06
L6	11	5 and quer\$9	USPAT; IBM_TDB	OR	ON	2008/05/27 13:07
L7	11	6 not 3	USPAT; IBM_TDB	OR	ON	2008/05/27 13:07
L8	4650	object\$1 near5 quer\$9	USPAT; IBM_TDB	OR	ON	2008/05/27 13:09
L9	1015	8 and (password \$1 passphrase\$1 passcode\$1 pin)	USPAT; IBM_TDB	OR	ON	2008/05/27 13:09
L10	44538	(shar\$3 same\$1) near5 (password \$1 passphrase\$1 passcode\$1 pin)	USPAT; IBM_TDB	OR	ON	2008/05/27 13:11
L11	52	9 and 10	USPAT; IBM_TDB	OR	ON	2008/05/27 13:11
L12	0	((inter near2 relat \$4) inter-relat\$4) and 11	USPAT; IBM_TDB	OR	ON	2008/05/27 13:11
L13	38	(relat\$4 near6 object\$1) and 11	USPAT; IBM_TDB	OR	ON	2008/05/27 13:11
L14	36648	(lack\$3 no\$1) near5 (password \$1 passphrase\$1 passcode\$1 pin)	USPAT; IBM_TDB	OR	ON	2008/05/27 13:19

L15	1368	((inter near2 relat\$4) inter-relat\$4 (relat\$4 near6 object\$1)) and 14	USPAT; IBM_TDB	OR	ON	2008/05/27 13:20
L16	181	15 and quer\$9	USPAT; IBM_TDB	OR	ON	2008/05/27 13:20
L17	152	16 and messag\$3	USPAT; IBM_TDB	OR	ON	2008/05/27 13:20
L18	144	17 and interfac\$3	USPAT; IBM_TDB	OR	ON	2008/05/27 13:21
L19	1648	((inter near2 relat\$4) inter-relat\$4 (relat\$4 near6 object\$1) (object\$1 near4 interfac\$3)) and 14	USPAT; IBM_TDB	OR	ON	2008/05/27 13:24
L20	454	((inter near2 relat\$4) inter-relat\$4 (relat\$4 near6 object\$1) (object\$1 near4 interfac\$3)) near8 (password\$1 passphrase\$1 passcode\$1 pin)	USPAT; IBM_TDB	OR	ON	2008/05/27 13:24
L21	96	20 and 14	USPAT; IBM_TDB	OR	ON	2008/05/27 13:25
L22	0	21 and uninvo\$9	USPAT; IBM_TDB	OR	ON	2008/05/27 13:25
L23	0	20 and uninvo\$9	USPAT; IBM_TDB	OR	ON	2008/05/27 13:25
L24	0	(object\$1 interfac\$3) near6 uninvo\$9	USPAT; IBM_TDB	OR	ON	2008/05/27 13:26
L25	9078	(object\$1 interfac\$3) near6 (uninvo\$9 uninvo\$8 non-invo\$9 unexecut\$9 unvoka\$9 invo\$9)	USPAT; IBM_TDB	OR	ON	2008/05/27 13:27
L26	33	20 and 25	USPAT; IBM_TDB	OR	ON	2008/05/27 13:27
L27	28	26 and quer\$9	USPAT; IBM_TDB	OR	ON	2008/05/27 13:27

L28	96	((inter near2 relat\$4 near3 object\$1) (inter-relat\$4 near3 object\$1) (inter-relat\$4 near3 interfac\$2) (object\$1 near4 interfac\$3)) near8 (password\$1 passphrase\$1 passcode\$1 pin)	USPAT; IBM_TDB	OR	ON	2008/05/27 13:35
L29	25	28 and quer\$9	USPAT; IBM_TDB	OR	ON	2008/05/27 13:38
L30	894	((inter near2 relat\$4 near3 object\$1) (inter-relat\$4 near3 object\$1) (inter-relat\$4 near3 interfac\$2) (object\$1 near4 interfac\$3)) near4 (group\$3 pluralit\$4)	USPAT; IBM_TDB	OR	ON	2008/05/27 13:50
L31	63729	(object\$1) near4 (group\$3 pluralit\$4)	USPAT; IBM_TDB	OR	ON	2008/05/27 13:50
L32	12642	((inter near2 relat\$4 near3 object\$1) (inter-relat\$4 near3 object\$1) (inter-relat\$4 near3 interfac\$2) (object\$1 near4 interfac\$3) object\$1) near8 (password\$1 passphrase\$1 passcode\$1 pin)	USPAT; IBM_TDB	OR	ON	2008/05/27 13:51
L33	1176	31 and 32	USPAT; IBM_TDB	OR	ON	2008/05/27 13:52
L34	252	33 and quer\$9	USPAT; IBM_TDB	OR	ON	2008/05/27 13:52
L35	0	34 and uninvo\$9	USPAT; IBM_TDB	OR	ON	2008/05/27 13:53

L36	11902	(object\$1 interfac\$3) near6 (unauthori\$9 unaccessib\$9 inaccess\$9 nonauthori\$9 nonaccessib\$9 uninvo\$9 uninvok\$8 noninvok\$9 unexecut\$9 unvoka\$9 invok\$9)	USPAT; IBM_TDB	OR	ON	2008/05/27 13:54
L37	94	34 and 36	USPAT; IBM_TDB	OR	ON	2008/05/27 13:54
L38	73	((inter near2 relat\$4 near3 object\$1) (inter-relat\$4 near3 object\$1) (inter-relat\$4 near3 interfac\$2) (object\$1 near4 interfac\$3)) and 37	USPAT; IBM_TDB	OR	ON	2008/05/27 13:57
L39	216	(object\$1) near5 (group\$3 class\$2 shar\$3) near6 (password\$1 passphrase\$1 passcode\$1 pin)	USPAT; IBM_TDB	OR	ON	2008/05/27 14:05
L40	41	((inter near2 relat\$4 near3 object\$1) (inter-relat\$4 near3 object\$1) (inter-relat\$4 near3 interfac\$2) (object\$1 near4 interfac\$3)) and 39	USPAT; IBM_TDB	OR	ON	2008/05/27 14:05
L41	22	40 and quer\$9	USPAT; IBM_TDB	OR	ON	2008/05/27 14:05

L42	4488	((inter near2 relat\$4 near3 object\$1) (inter-relat\$4 near3 object\$1) (inter-relat\$4 near3 interfac\$2) (object\$1 near4 interfac\$3) object\$1) near8 (query\$9)	USPAT; IBM_TDB	OR	ON	2008/05/27 14:06
L43	471	(object\$1 interface\$1) near5 (group\$3 class\$2 shar\$3) near6 (password\$1 passphrase\$1 passcode\$1 pin)	USPAT; IBM_TDB	OR	ON	2008/05/27 14:07
L44	19	42 and 43	USPAT; IBM_TDB	OR	ON	2008/05/27 14:07
L45	19	44 and ((object\$1) near4 (group\$3 pluralit\$4 class\$2))	USPAT; IBM_TDB	OR	ON	2008/05/27 14:08
L46	12547	(group\$3 class\$2 shar\$3) near6 (password\$1 passphrase\$1 passcode\$1 pin)	USPAT; IBM_TDB	OR	ON	2008/05/27 14:08
L47	125	42 and 46	USPAT; IBM_TDB	OR	ON	2008/05/27 14:08
L48	125	47 and quer\$9	USPAT; IBM_TDB	OR	ON	2008/05/27 14:09
L49	104	48 and ((object\$1) near4 (group\$3 pluralit\$4 class\$2))	USPAT; IBM_TDB	OR	ON	2008/05/27 14:09
L50	8102	((inter near2 relat\$4 near3 object\$1) (inter-relat\$4 near3 object\$1) (inter-relat\$4 near3 interfac\$2) (object\$1 near4 interfac\$3) group) near8 (password\$1 passphrase\$1 passcode\$1 pin)	USPAT; IBM_TDB	OR	ON	2008/05/27 14:15

L51	406	((inter near2 relat\$4 near3 object\$1) (inter-relat\$4 near3 object\$1) (inter-relat\$4 near3 interfac\$2) (object\$1 near4 interfac\$3)) and 50	USPAT; IBM_TDB	OR	ON	2008/05/27 14:16
L52	130	51 and (((lack\$3 no\$1) near8 (password\$1 passphrase\$1 passcode\$1 pin))	USPAT; IBM_TDB	OR	ON	2008/05/27 14:16
L53	246	51 and (((lack\$3 no\$1 limit\$4) near8 access\$8) uninvo\$9 uninvo\$8 non-invo\$9 unexecut\$9 unvoka\$9 nonexecut\$7 unexecut\$9 non-execut\$9)	USPAT; IBM_TDB	OR	ON	2008/05/27 14:19
L54	96	52 and (((lack\$3 no\$1 limit\$4) near8 access\$8) uninvo\$9 uninvo\$8 non-invo\$9 unexecut\$9 unvoka\$9 nonexecut\$7 unexecut\$9 non-execut\$9)	USPAT; IBM_TDB	OR	ON	2008/05/27 14:20
L55	96	((inter near2 relat\$4 near3 object\$1) (inter-relat\$4 near3 object\$1) (inter-relat\$4 near3 interfac\$2) (object\$1 near4 interfac\$3)) and 54	USPAT; IBM_TDB	OR	ON	2008/05/27 14:20
L56	96	55 and (password\$1 passphrase\$1 passcode\$1 pin)	USPAT; IBM_TDB	OR	ON	2008/05/27 14:21
L57	86	55 and (password\$1 passphrase\$1 passcode\$1)	USPAT; IBM_TDB	OR	ON	2008/05/27 14:22

L58	75	((inter near2 relat\$4 near3 object\$1) (inter-relat\$4 near3 object\$1) (inter-relat\$4 near3 interfac\$2) (object\$1 near4 interfac\$3)) and 43	USPAT; IBM_TDB	OR	ON	2008/05/27 14:27
L59	251	51 and (((lack\$3 no\$1 limit\$4) near8 (access\$8 password\$1)) uninvo\$9 uninvo\$8 noninvo\$9 unexecut\$9 unvo\$9 nonexecut\$7 unexecut\$9 nonexecut\$9)	USPAT; IBM_TDB	OR	ON	2008/05/27 14:29
L60	51	58 and (((lack\$3 no\$1 limit\$4) near8 (access\$8 password\$1)) uninvo\$9 uninvo\$8 noninvo\$9 unexecut\$9 unvo\$9 nonexecut\$7 unexecut\$9 nonexecut\$9)	USPAT; IBM_TDB	OR	ON	2008/05/27 14:29
L61	69	(lack\$3) near5 (password\$1 passphrase\$1 passcode\$1)	USPAT; IBM_TDB	OR	ON	2008/05/27 14:31
L62	1	61 and ((object\$1) near4 (group\$3 pluralit\$4 class\$2))	USPAT; IBM_TDB	OR	ON	2008/05/27 14:31
L63	2	((inter near2 relat\$4 near3 object\$1) (inter-relat\$4 near3 object\$1) (inter-relat\$4 near3 interfac\$2) (object\$1 near4 interfac\$3)) and 61	USPAT; IBM_TDB	OR	ON	2008/05/27 14:33

L64	15	61 and 46	USPAT; IBM_TDB	OR	ON	2008/05/27 14:34
L65	1	64 and ((object \$1) near4 (group \$3 pluralit\$4 class \$2))	USPAT; IBM_TDB	OR	ON	2008/05/27 14:34
L66	14	64 and (object\$1 interfac\$3)	USPAT; IBM_TDB	OR	ON	2008/05/27 14:36
L67	440	((inter near2 relat \$4 near3 object \$1) (inter-relat\$4 near3 object\$1) (inter-relat\$4 near3 interfac\$2) (object\$1 near4 interfac\$3)) and 46	USPAT; IBM_TDB	OR	ON	2008/05/27 14:39
L68	243	67 and quer\$9	USPAT; IBM_TDB	OR	ON	2008/05/27 14:40
L69	196	68 and (password \$1 passphrase\$1 passcode\$1)	USPAT; IBM_TDB	OR	ON	2008/05/27 14:40
L70	1	69 and queryable	USPAT; IBM_TDB	OR	ON	2008/05/27 14:41
L71	38	((inter near2 relat \$4) inter-relat\$4 (relat\$4 near6 object\$1) (object \$1 near4 interfac \$3)) near8 (password\$1 passphrase\$1 passcode\$1)	USPAT; IBM_TDB	OR	ON	2008/05/27 14:42
L72	96	((inter near2 relat \$4 near3 object \$1) (inter-relat\$4 near3 object\$1) (inter-relat\$4 near3 interfac\$2) (object\$1 near4 interfac\$3)) near8 (password \$1 passphrase\$1 passcode\$1 pin)	USPAT; IBM_TDB	OR	ON	2008/05/27 14:42
L73	0	72 and queryable	USPAT; IBM_TDB	OR	ON	2008/05/27 14:43

L74	25	72 and quer\$3	USPAT; IBM_TDB	OR	ON	2008/05/27 14:43
L75	18	((inter near2 relat \$4 near3 object \$1) (inter-relat\$4 near3 object\$1) (inter-relat\$4 near3 interfac\$2) (object\$1 near4 interfac\$3)) near8 (password \$1 passphrase\$1 passcode\$1)	USPAT; IBM_TDB	OR	ON	2008/05/27 14:44
L76	14	(group\$3 class\$2 shar\$3) and 75	USPAT; IBM_TDB	OR	ON	2008/05/27 14:45
L77	2171	46 and (((lack\$3 no\$1 limit\$4) near8 (access\$8 password\$1)) uninvok\$9 un- invok\$8 non- invok\$9 unexecut \$9 unvoka\$9 nonexecut\$7 unexecut\$9 non- execut\$9)	USPAT; IBM_TDB	OR	ON	2008/05/27 14:49
L78	1088	77 and (password \$1 passphrase\$1 passcode\$1)	USPAT; IBM_TDB	OR	ON	2008/05/27 14:49
L79	66	46 and (uninvok \$9 un-invok\$8 non-invok\$9 unexecut\$9 unvoka\$9 nonexecut\$7 unexecut\$9 non- execut\$9)	USPAT; IBM_TDB	OR	ON	2008/05/27 14:50
L80	56	79 and ((lack\$3 no\$1 limit\$4) near8 (access\$8 password\$1))	USPAT; IBM_TDB	OR	ON	2008/05/27 14:51

5/ 27/ 08 2:57:09 PM

C:\Documents and Settings\LHa\My Documents\EAST\Workspaces\ 10727479.wsp